





## APPENDIX A, SHELTER PRODUCT DATA SHEET, REVISION A:

<b>PRODUCT DATA SHEET</b>		<b>CONTRACTOR NAME:</b> DHS Systems LLC	
<b>1.PART NUMBER:</b> 00500T		<b>2.NSN</b> 8340-01-439-8947	
<b>3.NAME:</b> DRASH Model 5S	<b>4.TYPE:</b> Modular		<b>5.CLASS:</b> Shelter
<b>6.COLOR:</b> Desert Tan	<b>7. Support System:</b> Frame		<b>8.SERIES:</b> S
<b>9. INTENDED USE:</b> LSA, Command & Control, Medical, General Purpose			
<b>10.DIMENSIONS (IN FEET AND INCHES)</b>	<b>LENGTH:</b> 33.5 ft.	<b>WIDTH:</b> 13.5 ft.	<b>HEIGHT: RIDGE/EAVE</b> 10.6 ft.
<b>11.DIMENSIONS (EXTERNAL GUYED)</b>	<b>LENGTH</b> 43.5 ft.	<b>WIDTH</b> 23.5 ft.	
<b>12.SQUARE FEET INTERIOR:</b> 341.1 sq. ft.			
<b>13.WEIGHT (POUNDS, UNPACKAGED)</b> 502 lb.		<b>14.WEIGHT (PACKAGED)</b> 502 lb.	<b>15.SHIPPING CUBE (PACKAGED)</b> 44 cu. ft.
<b>16SHIPPING CONTAINER</b>	<b>LENGTH</b> 33.5 ft.	<b>WIDTH</b> 13.5 ft.	<b>HEIGHT</b> 52 in.
<b>17.SET-UP TIME/ NUMBER OF PERSONS</b> < 10 minutes / Six personnel		<b>18.STRIKE TIME/ NUMBER OF PERSONS</b> < 10 minutes / Six personnel	
<b>19.PARTS INCLUDED:</b> Repair Kit (NSN: 8340-01-514-0530, P/N: 90225T), qty. = 1; Push Pole (NSN: 8340-01-558-7299, P/N: A602650), qty. = 4 Stake Set (P/N: 09981), qty. = 1			
<b>20.DESCRPTION:</b> The DRASH Model 5S is a man-portable shelter solution that may be deployed as either a stand alone shelter or connected to other shelters. It is compatible with existing military fluorescent lighting systems and may be interconnected with the TEMPER vestibule. It includes four (4) fabric doors with hook & loop closures. Optional accessories are available. It is supported by a trailer system that provides controlled environments and electrical capabilities.			
<b>21. SUPPORT EQUIPMENT:</b>	<b>PART NUMBER Or NSN</b>	<b>Included or Optional</b>	<b>DESCRIPTION</b>
<b>LIGHT SET</b> Product Data Sheet	H300000-2S	Optional	Light Set,Two Fixture,110Watt, w/small elec set
	H300000-2M	Optional	Light Set,Two Fixture,110Watt,w/ med elec set
	H300000-4S	Optional	Light Set,Four Fixture w/small elec set
	H300000-4M	Optional	Light Set,Four Fixture w/med elec set
<b>ELECTRICAL OUTLET SET</b> Product Data Sheet	T2-95211	Optional	Electrical Set,Shelter,Sml 120V,60Hz
	T2-95212	Optional	Electrical Set,Shelter,Med 120V,60Hz
<b>FLOORING</b> Product Data Sheet			
<b>HEATER</b>			

<b>Product Data Sheet</b>	1002814	Optional	HEATER, D1000, 100K BTU (2) 12" Ducts, CO & Remote Thermostat
<b>AIR CONDITIONER Product Data Sheet</b>			
<b>GENERATOR Product Data Sheet</b>			
<b>POWER DISTRIBUTION Product Data Sheet</b>			
<b>TRAILER MOUNTED SUPPORT SYSTEM Product Data Sheet</b>			
<b>INSULATED LINER Product Data Sheet</b>			
<b>INSULATED FLOORING Product Data Sheet</b>			
<b>SOLAR SHADE/ CAMOU. NETT Product Data Sheet</b>			